

2. TENDER NOTIFICATION FOR ANNUAL MAINTENANCE, REPAIRS, SERVICES, CALIBRATION, REPLACEMENT OF REQUIRED ITEMS, COMPUTERS, SYSTEMS, SOFTWARES, PRINTERS, UPS, BATTERIES ETC FOR DEFUNCT LORRY WEIGHBRIDGES FOR 2 YEARS GUARANTEE WARRANTEE.

Online tenders are invited from the reputed licensed holderers for **Repairs, services, calibration, maintenance, replacement of required spare parts, items, systems, computers, software, printers, UPS, Batteries etc to defunct lorry weighbridges, upgradation of capacity, conversion into electronic lorry weighbridges for 2 years guarantee warrantee located at State warehouse Bellary, Raichur U-I, Hassan (Thanerahalla), Challkere, Kustagi, Haveri & Koralur.** The details of Lorry Weighbridges are as follows:

1. Lorry Weighbridges

S.N	Location of Weigh Bridge	Model & Year	Present position	S.N	Location of Weigh Bridge	Model & Year	Present position
1.	Raichur – I 30 MTs Mechanical(pit type)	Avery/1979	Defunct	5.	Kustagi 40 MTs Electronic(pit less type)	Essae/2004	Defunct
2.	Bellary 20 MTs Mechanical(pit type)	Avery/1980	Defunct	6.	Haveri 40 MTs Electronic(pit less type)	Essae/2007	Defunct
3.	Hassan (Thanira halla) 40 MTs Electronic(pit less type)	Essae/2004	Defunct	7.	Koralur (Bangalore Near OM Farm) 40 MTs Electronic(pit less type)	Essae/2005	Defunct
4.	Challkere 40 MTs Electronic(pit less type)	Essae/2004	Defunct				

II Documents to be submitted through online e-procurement portal for acceptance of technical Bid

The Bidder should submit the following documents for acceptance of technical bid through online e-procurement portal.

1. The Tenderer should remit EMD amount through online e-procurement portal.
 2. The **valid license/ certificate** issued by the Department of Legal Metrology of Karnataka for repairs & services of Lorry Weighbridges at Karnataka.
 3. The Valid license/ certificate issued by the department of Legal Metrology of Karnataka for weighbridge manufacture at Karnataka.
- OR
- Authorization Letter from Lorry Weighbridge manufacture at Karnataka for repairs, supply of required spare parts etc.
4. The copy of **valid license/ certificate** issued by the Department of Karnataka for having the shop of **sales of spare parts** of Lorry Weighbridges in Karnataka.
 5. The copy of list for having the technical staff & Mechanics working in the office's at Karnataka to attend repairs & services.
 6. The copies of the Annual Maintenance Contract work order issued from any central/state governments/government undertakings/Societies/Boards/ corporations.
 7. The copies of certificate issued by chartered Accountant for the turnover during the year of 2013-14, 2014 -15 & 2015-16
 8. The copy of Self declaration for not involving in ineligibility for corrupt and fraudulent practices issued by any State Government / Government of India /Union Territory.
 9. The Copy of Income tax returns filed for the year from 2013-14, 2014-15 & 2015-16.

10. The Tenderer should submit the copy of cancelled bank cheque leaf for the details of Bank Account & IFSC Code.

11. The Tenderer should submit copy of PAN card.

III TERMS AND CONDITIONS:

1. The Tenderer should pay the Earnest Money Deposit through online e-procurement portal using any of the payment mode.
2. The Tenderer should pay the Earnest Money Deposit through online e-procurement portal . The tenders without E.M.D will be summarily rejected. E.M.D shall be liable to be forfeited if the tenderer does not fulfill tender conditions. The EMD of unsuccessful tenderer will be refunded after finalisation of the Tender & the EMD of successful tenderer will be refunded after Work order/Supply order issued.
3. Earnest money deposit may be forfeited if the tenderer withdraws the tender after tender opening during the period of tender validity.
4. The successful tenderer shall have to furnish a Security Deposit @ 5% of the total value of the work order by way of Demand Draft, drawn in favour of the **"The Managing Director, Karnataka State Warehousing Corporation"**, payable at Bangalore within **Seven days** from the date of acceptance of work order. The security deposit does not carry any interest. The E.M.D. of the successful tenderer shall not be adjusted towards the security deposit. The security deposit will be refunded only after completion of Guarantee/Warranty Period & on expiry of extended period if any.
5. The Tenderer should submit required documents of technical bid of the tender through online e-procurement portal.
6. The Technical Bid & Financial Bid should be submitted through online e-procurement portal on or before last date.
7. The tender should quote total rate at Financial Bid for all Seven Lorry Weighbridges at e-procurement portal.
8. Any old parts, items, system replaced by new/reconditioned part shall become the property of the supplier/contractor accordingly the tenderer shall quote the rate in Financial Bid.
9. The tenderer should quote the total rate at Financial bid through online e-procurement portal for Repairs, services, Calibration, maintenance, Replacement of required spare parts, items, software, computer systems, printer, UPS battery etc under minimum guarantee warranty period of 2 years with inclusive of all Taxes GST, VAT etc .
10. The tenderer should quote the total rate at Financial Bid through online e-procurement portal for supply & installation of required spare parts, items, software , system, computer, printer, UPS, battery etc inclusive of all taxes, octroi, VAT etc and to maintain two years. The total lowest rate quoted in the Financial Bid will be considered as L1 tenderer. The L1 tenderer will be called for rate negotiation.
11. The lowest amount quoted in the tender in financial bid at e-procurement portal will be considered. Accordingly order will be issued after rate negotiation and such tenderer will be called as contractor/supplier/successful tenderer.

12. The total lowest rate quoted in the tender for all Seven lorry weighbridges will be considered as L1 .
13. It is absolutely essential for the vendor/ bidder to quote the lowest price through online e-procurement portal at the time of making the offer in their own interest, as the Corporation will not enter into any price negotiations, except with the lowest quoting vendor/ bidder (L1), in case of absolute necessity.
14. The tenderer should quote the total rate in financial bid at e-procurement portal for all lorry weighbridges including supply, installation, maintenance of required spare parts, items, calibration, electrical or electronic items, Systems, printer, computer, software, UPS battery etc and inclusive of transportation charges, Labour charges, opening fitting charges, repairs charges and also inclusive of all taxes, duties, Octroi, VAT, GST Karnataka work contract tax, and other taxes levied or may be levied in future without submission of "C" and "D" or any other similar form prescribed under any relevant act in force.
15. (a) The tenderer should quote the total rate at e-procurement portal in financial bid for maintenance, repairs, services, calibration, replacement of required spare parts, items, software, systems, Computer, Printer, UPS Battery etc and upgradation of capacity, conversion into electronic lorry weighbridge at Raichur Unit-I & Bellary.

And

- (b)The tenderer should quote the total rate at e-procurement portal in financial bid for maintenance, repairs, services, calibration, replacement of required spare parts, items, software, systems, Computer, Printer, UPS Battery etc at Challkere, Kustagi, Hassan (Thaniralla), Haveri & Koralur(Bangalore Near OM farm).

And

- (C)Which should be inclusive the transportation charges, Labour charges, opening, fitting charges, repairs charges etc & also inclusive of all taxes, duties, Octroi, VAT, Karnataka work contract tax, and other taxes levied or may be levied in future without submission of "C" and "D" or any other similar form prescribed under any relevant act in force. Which should be inclusive & the above price also includes installation, Erection, Testing etc. and maintenance works for the period of 2 years.
16. The Corporation will not pay any charges other than the rates of this tender for Repairs, services, calibration Maintenance, replacement of required spare parts, items, software, computer, systems, printer, UPS Battery etc..
17. The tenderer should submit certificate of concern Warehouse Manager for satisfactory working condition of lorry weighbridge for payment.
18. The corporation will pay the average rate per Lorry weighbridge of total rate quoted in the tender for actual attended number of Lorry weighbridges.
19. The Contractor should attend all breakdown calls received from any Warehouse Manager/Regional Manager within 48 hours without claiming any charges to corporation.

20. The contractor should attend Repairs, services, calibration Maintenance, replacement of required spare parts, software, computer, systems, printer, UPS Battery etc. at any breakdown calls received from the warehouse manager/ regional manager. The Skilled mechanics shall be sent by contractor at any time. The Corporation will not pay any charges for repairs, services, calibration Maintenance, replacement of required spare parts, items, software, computer, systems, printer, UPS Battery etc. charges. They shall send trained mechanics for overhaul and prepare the weighing equipment for verification and stamping by the Government authorities in accordance with the weights and measures act.
21.
 - a) The successful tenders should attend the stamping of the weighbridge & test weights during the contract period whenever it falls due & whenever it is required. The Corporation will not reimburse the stamping fees paid on behalf of the Karnataka State Warehousing Corporation to the Department of Legal Metrology by the contractor.
 - b) The contractor should pay the penalties imposed by department but the corporation will not reimbursement any penalties.
 - c) The concern Warehouse Manager will be requested through official letter to Department of legal metrology for stamping, verification of Weighbridges & accessories whenever its due OR on or before due date under copy to the contractor.
 - d) The concern Warehouse Manager will be intimated on or before to legal metrology department for stamping & verification.
22. The Warehouse Manager shall request to the legal metrology department and also inform to contractor for repairs, services, weigh variation, calibration, stamping works etc, The contractor should attend the same within 48 hours.
23. The Contractor should be attend painting works with Anticorrosive paint on all steel structures of Lorry weighbridges & should also painted to weights while attending first time of repair, service before stamping works. The painting applied for protection against anti corrosion/rust. The contractor should submit the certificate of Warehouse Manager for the painting work attended. The corporation will not pay the painting charges. The painting charges will also included in rate quoted in the tender.
24. The Technical bid & Financial bid will be opened through online only the Financial bid will be opened only whose technical bid are found technically qualified.
25. The tenderer should have registered office of sales of spare parts & repairs, services in Karnataka State, for easy availability of spares and prompt early service to attend weighbridges and should attend all breaks down calls within 48 hours of the receipt of the complaint from the Warehouse Manager/ Regional Manager. The tenderer should furnish the list of places/ agencies where the sales of spare parts & services are available in Karnataka.
26. The tender signed by a person on behalf of the tenderer other than himself without disclosing his authority to do so, shall not be deemed to be proper tender.
27. The tenderer may present or depute their authorised representative to be present at the time of opening tenders if they so desire at their own expenses.
28. The successful tenderer should have supply, sales service facility in Karnataka State, for easy availability of spares and prompt early service attend all breaks down calls within 48 hours of the after receipt of the intimation from the Warehouse Manager/Regional Manager during the contract period.

29. The tenderer can visit to all locations at his own cost to know the status & condition of the lorry weighbridges.
30. The Corporation will not be obliged to meet and have discussions with any vendor/ bidder and /or to entertain any representation which is deemed unfit.
31. It is absolutely essential for the vendor/ bidder to quote the lowest price through online e-procurement portal at the time of making the offer in their own interest, as the Corporation will not enter into any price negotiations, except with the lowest quoting vendor/ bidder (L1), in case of absolute necessity.
32. Downloading of Tender document from Corporation's website and e-procurement portal website <https://eproc.karnataka.gov.in/>. The tender document is also available for download from the Corporation's website Error! Hyperlink reference not valid.or reference. The documents shall be uploaded at the e- Procurement website <https://eproc.karnataka.gov.in / www.kswc.in> only. In case of any dispute/discrepancy the physical version of the tender available with the Corporation will be final & binding on all who participate in the tender.
33. The contractor shall clean, oil, adjust and otherwise keep and maintain in good working condition of all the Weighbridges are in use at all the State Warehouses run by Corporation.
34. The tenderer shall provide the assistance of supervisory and technical staff free of charge whenever required for special consultation.
35. Skilled mechanics shall be sent by contractor at any time for repair, services, calibration etc, The corporation will not pay any charges during the period of 2 years of guarantee warrantee period from the date of lorry weighbridges handover to Warehouse Manager. They shall send trained mechanics for overhaul and prepare the weighing equipment for verification and stamping by the Government authorities in accordance with the weights and measures act.
36. The Corporation will not pay spare parts & other required items supplied & installed during guarantee/warrantee period of 2 years from the date of satisfactory repaired of Lorry weighbridge and handed over to Warehouse Manager/ Regional Manager. The contractor should replace or repair on free of cost if required during the guarantee/ warrantee period.
37. The contractor should attend with authorities of weights and measures whenever verification of weighbridges under this contract if necessary.
38. The contractor shall carryout the work connected with servicing and maintenance of weighbridges at the Warehouses during the working hours of the Warehouses.
39. The contractor shall be fully insured from employee's liability and shall maintaining public liability insurance policy with substantial indemnity.
40. The contractor shall be solely responsible for personal injury and any damages to property caused by their neglect or negligence by their employees.
41. The contractor should borne the charges for Lorry weighbridges to be repaired, attached or detached & handling & transportation charges to workshop.
42. The contractor should ensure lorry weighbridges working satisfactory on 2 years guarantee warrantee period.
43. The contractor should not claim the AMC for the unserviceable/defunct/disposed weighbridges during the period.

44. The contractor should ensure during his service that no weight variations/weight differences at weighbridges. The tenderer should obtain the certificate from the warehouse manager. The tenderer should maintain the weighbridges as per the standards of weights and measures (General) Act & rules with upto date amendments.
45. The contractor during his repair, service visit should ensure satisfactory earthing works at Lorry weighbridges for protection of electrical & electronic equipments from any high voltages or voltages fluctuation, Lightning, Thundering, Sounding, Rain, and Water etc.
46. The contractor should ensure to take format of Weighment ticket & vehicle ticket daily, monthly reports as per the requirements and the softwares provided in the Lorry weighbridges.
47. The contractor should maintain satisfactory all electrical & electronic equipments of all Seven weighbridges on minimum 2 years guarantee warrantee basis.
48. The contractor should ensure to take the prints vehicle wise, commodity wise, depositor wise, & also consolidated daily wise & monthly wise reports in the software of the Lorry Weighbridges.
49. The contractor shall replace and fitting of the parts freely whenever necessary i.e. all knife edge centres, steel agate bearings, wrought iron steeled veges and stays, suspension rods, ribbons, rubbers, bolts, nuts and screws where same are worn-out as a result of fair wear and tear.
50. The contractor shall issue the acknowledgement to the Warehouse Manager/Regional Manager on the service voucher for having receipt of the old parts after replacement of new one.
51. The successful tenderer should attend the stamping of the weighbridges & test weights during the contract period whenever it falls due. The Karnataka State Warehousing Corporation will not reimburse the stamping fee/ penalties prescribed by the Department of Legal Metrology.
52. The submission of tender shall be taken to signify the acceptance of the terms and conditions stipulated herein.
53. The capacity of Lorry weighbridges of Raichur U-I should be upgraded upto 40MTs capacity and also should be conversion into electronic lorry weighbridge.
54. The Lorry weighbridges of Bellary should be upgraded upto 30MTs capacity and also should be conversion into electronic lorry weighbridge.
55. All 7 Lorry weighbridges repairs, services, calibration Maintenance, replacement of required spare parts, items, software, computer, systems, printer, UPS Battery, upgradation of capacity, conversion into electronic lorry weighbridge, installation, electrical , electronic items & Systems etc and all works of all weighbridges should be completed with in 3 months from the date of issue of the work order. Failure to which the decision of the Managing Director will be the final.
56. The tenderer may visit the places of Lorry weighbridges before the quoting the Financial Bid to know the status of required items, system, repairs, maintenance, services, upgradation, conversion, calibration etc., Accordingly the tenderer should quote the rate in Financial bid.
57. Any Travel Allowance, Halting, staying and any other expenses of mechanics and supervisory staff shall borne by tenderer.
58. The Contractor should be attend painting works with Anticorrosive paint on all steel structures of Lorry weighbridges & weights while before attending first time stamping works. The painting applied for protection against corrosion/rust and before handed over to Warehouse Manager. The contractor should submit the certificate of Warehouse Manager for the painting work attended. The charges of painting works will also be included in rate quoted in the tender. The corporation will not pay painting charges separately.

59. There should be no escalation clause in the tender. The successful tenderer shall be required to execute an agreement on non judicial stamp paper of requisite value on the lines given above.
60. The contractor should be attend repair, services, calibration, replacement of required items, software, computer system, printer, UPS battery etc and supply & upgradation, conversion as required. The corporation will not pay any charges other than 1st time installation and satisfactory working condition of weighbridge handover to Warehouse Manager.
61. The contractor should quote the total rate through e-procurement portal for required items systems inclusive fitting charges, repairs, servicing, maintenance, calibration charges for 2 years with all taxes, octroi, VAT etc.
62. The contractor shall be responsible for securing necessary import license or customs clearance, permit or permits as may be necessary. The Corporation will not make available any foreign exchange or import license for this work. The contract and its operation shall be governed by the laws of India for the time being in force. Irrespective of the place of delivery of equipment/materials, the place of execution of works of place of payment under contract, the contract shall be deemed to have been entered into at Bangalore within the ordinary civil jurisdiction of the Karnataka High Court.
63. The contractor should submit purchase bills/invoice of spare parts, items, system along with his bill for the proof of purchase & New/branded/standard. All claimed bills invoices & vouchers should be signed by the warehouse manager. However the corporation will make payment as per the total rate of all weighbridges quoted in the tender.
64. The Charges of Repair, Service, calibration, replacement of required items, software, computer, system, printer, UPS battery etc charges will not pay to the contractor. The contractor should attend at free of cost at any time.
65. The contractor should not supply & install of damaged or once used items, system spare parts etc.
66. The Contractor should attend repairs or replacement of Platform/ beams if required, The charges will be included in the tender rates. The M S Steel, Anti skied suitable platform, minimum 10mm thickness platform should be provided if required. The suitable & tolerable capacity with suitable gauges of MS Still beams should be provided if required.
67. The contractor should repair, supply & installed items, system shall be under guarantee/warranty of minimum 2 years from the date of installation i.e from the date of stock certificate.
68. The contractor should submit the stock acknowledgement/certificate issued from the warehouse manager for repaired, supply & installation and also satisfactory working condition of new supply & installed items, systems etc.
69. The Contractor should provide suitable & satisfactory working software to Lorry weighbridge indicator & computer system if required, the charges will be included in the tender rates.
70. The Contractor should provide required items systems, any Electrical items, any Electronic items, Installation, repairs, Maintenance, Services, Calibration, Upgradation, Conversion to Lorry weighbridge if required, the charges will be included in the tender rates.
71. The contractor during his visit should ensure the earth works, electric wiring, & connections are working satisfactory. The contractor & the concern Warehouse Manager should certify the same in service vouchers. If found any problems, weight variation the same should be attend by the tenderer/contractor within 48 hours at free of cost.

72. The contractor should ensure Lorry Weighbridges including Load cells, computer system, printer, UPS Battery, Indicator, Electrical wiring, Electrical connection, electrical & electronic items etc. are working satisfactory and should ensure no weight variation at lorry weighbridges. The contractor & the Warehouse Manager should certify the same in his bill. If found any damages problems, weight variation the same should be attend by the contractor within 48 hours.
73. The contractor should ensure satisfactory working condition of the electrical wiring, Electrical Connections, electronic items & Electrical items including load cells, computer system, printer, UPS Battery, Indicator etc, the lorry weighbridges will not be disturb from heavy voltages winds, thunder sound, lighting, rain, water etc.
74. The minimum Guarantee/Warrantee period will be 2 years for spare parts, systems any parts, any systems, any items, Repairs, service, Maintenance of the Lorry Weighbridges. The same should be replace/ repair during the Guarantee/Warranty period by the contractor at free of cost to corporation.
75. The contractor should attend all repair works, service, maintenance, calibration, weight variation, replacement of required spare parts items, software, computer, system, printer, UPS battery etc and stamping works within 48 hours of complaints/intimation received from Warehouse Manager/Regional Manager. The Corporation will not pay any extra charges for any repair, services, maintenance, calibration, weight, weight variation, replacement required spare parts items, software, computer, system, printer, UPS battery etc other than first time repair services etc charges and satisfactory working condition lorry weighbridge handed over to Warehouse Manager.
76. The weighbridge calibration should stay for a minimum period of one year from the date of installation without need for any readjustments. If calibration & services required at any time the same should be attend by the contractor without claiming any charges to the Corporation.
77. The Weighbridge readings shall not differ by more than one resolution value, when the vehicle is placed on different locations on the weighbridge.
78. The Contractor should attend repairs of ramp works if required, the charges will be included in the tender rates. The ramp should be CC 1 : 1 ½ : 3 grade concrete for ramp portion on either side of the weighbridge platform to a length of 9mtrs and width of 4mtrs.
79. The Contractor should supply of load cells if required, the charges will be included in the tender rates. The new Load cells should be certified to class IP-68 & the load cells shall not be affected by dust, water & hostile atmosphere. These should be provided with lightening protection and it should have 0.02% accuracy. The capacity should be tolerated. The load cells should be hermetically sealed and IP68 (with inbuilt type) protection class. These should be housed in lockable sheet metal box. The overload protection of load cells shall be 200%. The destructive overload protection of load shall be 500%.
80. The Contractor should supply of junction box if required, the charges will be included in the tender rates. The junction box should be certified to class IP-65, surge arrestors provided, cast aluminum/stainless steel, terminals on PCB mounted inside junction box & glands of entry should be double compression type. Minimum 30mtrs of Cable along with metal pipe should provide between junction box & cabin. Material test certificate should be furnished.
81. The Contractor should supply of New indicator if required, the charges will be included in the tender rates. The new Digital Weight Indicator, this should be state of the art high performance micro processor based Alpha Numeric Weighing system having high internal resolutions, clear and bright seven digit LED display auto zero tracking, tare/gross weight indications, Auto calibration facilities etc. It should be capable of interfacing with the computer for further processing of data as per requirement operating temperature is to be -5 degree centigrade to 50 degree centigrade, response time less than 0.5 seconds, electrical safety IEC-348. And it should

have facilities for connecting the printer directly in case computer fails. The indicator must have the protection class of IP 30 & IP 65. The tenderer should furnish the test certificate for indicator.

82. The Contractor should supply of New Computer & Accessories if required, the charges will be included in the tender rates. The new computer & accessories if required, the charges will be included in the tender rates. The supplied & Installed P.C. should be make of HCL/IBM/HP/DELL/ACER, and should be of Intel Core-2 Duo Processor or above or more speed equipped with 104 keys "Alpha Numeric" Key Board having memory of minimum 10000 weighments. Operating temperature range is to be -5 degree centigrade to 50 degree centigrade with memory of minimum 500 GB Hard Disk, 2 GB RAM with Windows 7 Operating System with original licensed software. minimum 21" TFT Colour Monitor, Optical Mouse., Data protection by Lithium battery for 4.00 Hrs. during power off.
83. The Contractor should supply of New Printer if required, the charges will be included in the tender rates. The new Printer should be (80 Col.) with speed compatible with the Micro Processor, Dot Matrix 80 col. Ticket Printer (make EPSON/WIPRO/TVSE/HCL) compatible with PC.
84. The PC shall be supplied with original licensed copy of operating software and Antivirus software integrated 10/100 LAN card, Hard Drive500 GB, Window 7.
1. The digitizer as RS-232 porter to link computer and printer.
 2. The computer holds the software required to operate the weigh bridge on 80 column Dot Matrix Printer is connected to computer to give the printout details as follows:

I. Date	II. Time	III. Serial No.	IV. Vehicle No.
V. Commodity	VI Party Name	VII Tare Wt	VIII Gross weight
IX Net Wt.			
 3. The entire record stored in the memory and the summary of the Weighbridge operation can be taken at any time in the following manner.
 - i. Date wise
 - ii. Truck wise
 - iii. Commodity wise
 - iv. Party Wise
 - v. All
 4. Any number of operators can be assigned to the weigh bridge with their independent with their user name and password thus monitors the operations under each operator separately.
85. The KSWC will request to provide power supply to lorry weighbridges if required. Contractor should arrange to supply of **power & wirings to lorry weighbridges & cabin if required** the charges will be included in the tender rates. The Contractor should ensure satisfactory working conditions of power cables installed at cabin & lorry weighbridges.
86. The Contractor should supply of U.P.S & batteries if required, the charges will be included in the tender rates. The new **U.P.S.** & batteries should be of Constant Voltage Stabilizer/Transformer 2 KVA rating servo transformer with input 140V – 280V and output 220± 5% of reputed and approved make to protect the equipment from voltage variation.
87. The Contractor should supply of **jumbo display unit** if required, the charges will be included in the tender rates. The new **jumbo display unit** should be an additional display unit at a suitable place outside the cabin of weighbridge for clear viewing of drivers in day light or in darkness of character size of 100 mm, 7 digit bright, LED type to be provided.

88. a. The sealing & stamping should be of load cells as well as that of the total weighing system shall conform to the requirements laid down under "Indian Weights & Measures Act, 1976
- b. The chassis of the electronic equipment should be designed in the manner that it is feasible to lock the whole system electronically to make it completely tamperproof at one place for subsequent verification by the concerned authorities.
89. The contractor supplied new equipment should be suitable for operation on 220V, single phase 50 cycle A.C. supply. The equipment shall be suitable for successful operation under different climatic conditions such as temperature ranging from -10 degree centigrade to 60 degree centigrade and humidity up to 95%.
90. a. The contractor should ensure for Installation, alignment and adjustment of machinery, electrical work should be carried out by skilled and experienced machinery fitters at its own risk and responsibilities.
- b. All machinery should be assembled fitted or mounted in such a manner that all necessary clearance shall be retained.
- c. The contractor should be responsible for all necessary alignment and adjustment of structure, machinery and equipment to obtain efficient operation of the Equipment.
- d. Errors, omissions and misfits shall not be corrected by burning, except with permission of Corporation.
91. In case of failure to provide prompt supply & service etc in respect of the weighbridge machine charge, including fitting, weight adjustment, calibration, service repairs, the corporation will be a liberty to cancel the order for remaining centres at any stage and claim liquidated damages if there is any delay in completion of the assigned work, a penalty will be imposed as decided by Managing Director, KSWC.
92. The successful tenderer shall be solely responsible for personal injury to the labours and damage to the property caused by their neglect or negligence by their employee. The contractor should make his own arrangements for un-skilled labourers for erection of machinery and installation & other work at his cost.
93. The contractor should provide satisfactory Electrical earthing & Electronic earthing separately or individually if required, the charges will be included in the tender rates.
94. The Contractor should supply of Lighting arresters if required, the charges will be included in the tender rates. The lightning arresters at suitable height and also protection to weighbridge in case of any high voltage fluctuation at source.
95. The contractor should provide weighbridge terminal computers software should be user friendly and must have high memory and should be branded P.C/ printer from a reputed HP/HCL, Acer, Windows company.
96. The supplied new spare parts, items, systems should have minimum 2 years guarantee/warranty period. The contractor should furnish the guarantee/warranty card along with his bill.
97. Execution of Contract Agreement: The successful tenderer shall ensure to enter into a formal agreement with the corporation within 7 days of issue of award letter on judicial stamp paper of appropriate value.
98. Address for Communication for successful tenderer is as follows:
The Managing Director, Karnataka State Warehousing Corporation, "Bheeraj Bhavana", 4&5th Floor, Bellary main road, Hebbal, 560024, Karnataka.

99. The Corporation has right to increase or decrease any volume of work.
100. The Technical Bid or Financial Bid will be opened on next working day if any holiday declared on schedule date, the tenders will be opened with out any further notification or intimation.
101. The Managing Director of KSWC has right to cancel the tender or the work order issued without assigning any reasons.
102. The successful tenderer fails to do or comply with any terms and conditions of the tender, the Managing Director, KSWC shall have all the right to cancel the tender and call fresh tender. In such case EMD & security deposit furnished by the tenderer shall be forfeited without a prejudice to the other right legally available and call for fresh tender at his risk and cost and the tenderer liable to make good the difference of loss to the corporation.
103. The successful tenderer fails to do or comply with any terms and conditions of the tender, the Managing Director, KSWC shall have all the right to cancel the tender and call fresh tender. In such case E.M.D and security deposit furnished by the tenderer shall be forfeited the tenderer/contractor shall liable to make good the difference or loss to the Corporation.
104. The Managing Director, Karnataka State Warehousing Corporation have reserves the right to accept or reject any or all the tenderers or reduce or increase the numbers, quantity of items without assigning any reasons.
105. In the event of any question, dispute of difference arising in any way out of the contract shall be referred to the sole arbitration of Managing Director, Karnataka State Warehousing Corporation, Bangalore whose decision in the matter shall be final and binding.
106. The Managing Director KSWC have reserves the right to reduce or increase the number of places for supply & Installation and upgradation , conversion into Electronic Lorry weighbridges.
107. In the event of default on the part of the tenderer to repair or adjust or do any work as aforesaid to any Lorry weighbridges within reasonable time or being required to do so, the Managing Director, Karnataka State Warehousing Corporation shall be entitled to have the work done by some other person, firm or company and tenderer shall be liable for any extra cost and any damage incurred thereby.
108. The Managing Director, Karnataka State Warehousing Corporation shall have the right to terminate the contract without notice for breach or non-performance of any of the aforesaid conditions and recover the damages so suffered.
109. In case of failure to provide prompt services in respect of the machine repairs, services, the corporation will be a liberty to cancel the order at any stage and claim liquidated damages. If there is any delay in the assigned work, a penalty will be imposed as decided by Managing Director, KSWC.
110. All disputes and difference arising during the period of contract whatsoever shall be referred to the decision of the Managing Director, KSWC, Bangalore whose decision shall be final.


MANAGING DIRECTOR



